

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25062	707/3 or 707/4 or 707/5 or 707/6 or 707/7 or 707/102 or 705/10 or 705/14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:35
L2	204	1 and ((monitor or track\$3) same (user near2 actions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:36
L3	82	1 and ((monitor or track\$3) same (user near2 actions)) and (user near2 profiles)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:36
L4	29	3 and (user near2 references)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:36
S1	13	"user behavioral patterns"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:13
S2	13	"user behavioral patterns"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:14
S3	3	recommendation same (behavioral near2 patterns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:15
S4	44	recommendation and (behavioral near2 patterns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:16

## EAST Search History

S5	7	recommendation and (behavioral near2 patterns) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:17
S6	40	recommendation and (user near2 patterns) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 16:23
S7	1	"6438579".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 13:11
S8	1	"6169986".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 13:11
S9	1	10/389552	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 08:42
S10	1555	Murthy.in. or "6016497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 08:40
S11	2	S10 and UDF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 08:40
S12	27	RDBMS and (UDF) and (modification or rewritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 12:05

## EAST Search History

S13	2	S12 and ("5765147".pn. or "6598055".pn.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 14:12
S14	2	"5862387".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 10:29
S15	2	"5862378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 10:29
S16	0	(tree same (packet same pointers same resultst))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 14:13
S17	6	(tree same (packet same pointers same results))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 14:14
S18	78	(tree same (packet same pointers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 15:34
S19	7	(tree same (packet same pointers)) and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 15:34
S20	2	Sanu.in. and (route near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:35

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25062	707/3 or 707/4 or 707/5 or 707/6 or 707/7 or 707/102 or 705/10 or 705/14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:35
L2	204	1 and ((monitor or track\$3) same (user near2 actions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:36
L3	82	1 and ((monitor or track\$3) same (user near2 actions)) and (user near2 profiles)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:36
L4	29	3 and (user near2 references)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:37
L5	0	3 and (user near2 references) and (user near2 models) and vectors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:37
L6	0	3 and (user near2 models) and vectors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:37
L7	19	3 and vectors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:37
S1	13	"user behavioral patterns"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:13

## EAST Search History

S2	13	"user behavioral patterns"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:14
S3	3	recommendation same (behavioral near2 patterns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:15
S4	44	recommendation and (behavioral near2 patterns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:16
S5	7	recommendation and (behavioral near2 patterns) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 08:17
S6	40	recommendation and (user near2 patterns) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 16:23
S7	1	"6438579".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 13:11
S8	1	"6169986".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/18 13:11
S9	1	10/389552	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 08:42

## EAST Search History

S10	1555	Murthy.in. or "6016497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 08:40
S11	2	S10 and UDF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 08:40
S12	27	RDBMS and (UDF) and (modification or rewritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 12:05
S13	2	S12 and ("5765147".pn. or "6598055".pn.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 14:12
S14	2	"5862387".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 10:29
S15	2	"5862378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 10:29
S16	0	(tree same (packet same pointers same result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 14:13
S17	6	(tree same (packet same pointers same results))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 14:14

## EAST Search History

S18	78	(tree same (packet same pointers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 15:34
S19	7	(tree same (packet same pointers)) and restore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/19 15:34
S20	2	Sanu.in. and (route near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:35

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)  
[Preferences](#)The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 1,030,000 for **user preference models and monitoring user actions**. (0.23 seconds)**Scholarly articles for user preference models and monitoring user actions**

[Policy Monitoring with User-Preferences in PDL](#) - Bertino - Cited by 8  
[Personalized Contents Guide and Browsing based on User ...](#) - Lee - Cited by 9  
[Harnessing Models of Users' Goals to Mediate ...](#) - Horvitz - Cited by 26

**[RTF] Fancy Title**File Format: Rich Text Format - [View as HTML](#)A key to social **models** of **user preferences** can be found by observing a problem for current recommender systems: they tend to become rather conservative. ...[www.sics.se/~annika/papers/chefs99.rtf](http://www.sics.se/~annika/papers/chefs99.rtf) - [Similar pages](#)**[PS] Adapting to User Preferences in Crisis Response Wayne Iba and ...**File Format: Adobe PostScript - [View as Text](#)**model** capturing **user preferences**. We evaluate our approach ... that enable it to advise the **user** on **actions** to select based ...[lyonesse.stanford.edu/papers/ui99.ps](http://lyonesse.stanford.edu/papers/ui99.ps) - [Similar pages](#)**[PDF] Multiagent Cooperative Learning of User Preferences**File Format: PDF/Adobe Acrobat - [View as HTML](#)to a **user action** (query), several interactions can be triggered between agents of ... The following subset of attributes are related to **user monitoring**. ...[semwebmine2001.aifb.uni-karlsruhe.de/online/semwebmine05.pdf](http://semwebmine2001.aifb.uni-karlsruhe.de/online/semwebmine05.pdf) - [Similar pages](#)**IBM LoadLeveler for AIX 5L: Using and Administering - Table of ...**Administrative uses for the Graphical **User** Interface · Job related administrative **actions** ...**User** tasks: building parallel job command files ...[www.ncsa.uiuc.edu/UserInfo/Resources/](http://www.ncsa.uiuc.edu/UserInfo/Resources/)[Hardware/IBMp690/IBM/usr/lpp/LoadL/html/am2ugmst02.html](http://Hardware/IBMp690/IBM/usr/lpp/LoadL/html/am2ugmst02.html) - 40k -[Cached](#) - [Similar pages](#)**Title Index**FYI on a Network Management Tool Catalog: Tools for **Monitoring** and Debugging ... IPVersion 6 Management Information Base for the **User** Datagram Protocol ...[dret.net/rfc-index/titles](http://dret.net/rfc-index/titles) - [Similar pages](#)**User Modeling for Adaptive and Adaptable Software Systems**The **user model** and analysis engine can also be used to derive **user** goals, interests, and implicit **user preferences**. **Actions** that the system can take include ...[www.otal.umd.edu/UUGuide/wmk/](http://www.otal.umd.edu/UUGuide/wmk/) - 29k - [Cached](#) - [Similar pages](#)**[PDF] Learning User Preferences in Multi-agent System**

File Format: PDF/Adobe Acrobat

optimization reasons, especially because in reaction to a **user action** (query), ...**monitoring**. In our example we have imagined a simple **user monitoring** ...[www.springerlink.com/index/6J4QUUVRCXUNDTB1.pdf](http://www.springerlink.com/index/6J4QUUVRCXUNDTB1.pdf) - [Similar pages](#)**[PDF] Adapting information presentation and retrieval through user ...**

File Format: PDF/Adobe Acrobat

long-term **user model** or a **user** community **model**, which. clusters common **preferences**.... **users**-assumptions about **user actions**, **preferences**, etc.- ...[ieeexplore.ieee.org/iel5/7336/19864/00918829.pdf](http://ieeexplore.ieee.org/iel5/7336/19864/00918829.pdf) - [Similar pages](#)



[PDF] [Machine Learning of \*\*User Preferences\*\* in a Corporate Knowledge ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

balance between them, without compromising the expressiveness of the **model**. In our approach we have used both **user monitoring** methods (creating navigation ...  
[www.hds.utc.fr/~barthes/ISMICK01/papers/IS01-kiss.pdf](http://www.hds.utc.fr/~barthes/ISMICK01/papers/IS01-kiss.pdf) - [Similar pages](#)

[Representation of \*\*user preferences\*\* - camera.dvi](#)

File Format: Unrecognized - [View as HTML](#)

... by **monitoring** the **user's actions**, that he is not interested in documents of a ... When applying the above in designing a **user preference data model**, ...  
[www.image.ece.ntua.gr/php/savepaper.php?id=204](http://www.image.ece.ntua.gr/php/savepaper.php?id=204) - [Similar pages](#)

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google